



A Symphony of Shapes

Design Meets Performance in Any Silhouette

Clean Lines Modern Curves

Our collection of wall-mounted cylinders offers a trio of distinctive forms—circular, square, and sculptural hourglass—each designed to complement a range of architectural styles. With both direct and indirect illumination options, these fixtures not only elevate exterior facades but also create dynamic layers of light for a striking visual impact.

Clessidra Series



3000K



4000K



5000K



Down



Up



Up & Down



Interchangeable Optics
(15°, 25°)



Easy Configuration
(up, down, up & down)



Built in DC
Photocell sensor

Order#	Model Number	Diameter	Wattge	Voltage	Lumens	CCT	Finish
R31408	RENO-CYDL-MW-DV-MCCT-7-HL-BK	7.0"	18/30/45/60W	120-347V	up to 6,000 lm	30/40/5000K	Black
R31409	RENO-CYDL-MW-DV-MCCT-7-HL-SLV	7.0"	18/30/45/60W	120-347V	up to 6,000 lm	30/40/5000K	White

Fusion Series



3000K

4000K

5000K

Down

Up

Up & Down



Interchangeable Optics
(15°, 25°)



High Color Rendering
CRI >90



Built in DC
Photocell sensor

Order#	Model Number	Diameter	Wattge	Voltage	Lumens	CCT	Finish
R51220	RENO-CWS-MW-DV-MCCT-4	4.0"	12/16/20W	120-347V	up to 2,100 lm	30/40/5000K	Black
R51223	RENO-CWS-MW-DV-MCCT-4-WH	4.0"	12/16/20W	120-347V	up to 2,100 lm	30/40/5000K	White
R51221	RENO-CWS-MW-DV-MCCT-6	6.0"	22/29/350W	120-347V	up to 3,675 lm	30/40/5000K	Black
R51224	RENO-CWS-MW-DV-MCCT-6-WH	6.0"	22/29/350W	120-347V	up to 3,675 lm	30/40/5000K	White

One Fixture

Multiple Angles, Two Different Style

INTERCHANGEABLE OPTICS

- 15° Beam Angle for 4.0" – R59208
- 15° Beam Angle for 6.0" – R59210
- 25° Beam Angle for 4.0" – R59209
- 25° Beam Angle for 5.0" – R59211



CYLINDER WALL SCONCE


Refreshing the look has never been easier — transform the aesthetic without removing the fixture from the wall.



4.0" – R59022 | 6.0" – R59024

SQUARE PLATE COVER

Attach the base from beneath the wall-mounted fixture, then secure the shell kit in place with four screws.



4.0" – R59021 | 6.0" – R59023


SQUARE TUBE

Slide the shell onto the fixture from below—its precision-fit design ensures seamless integration. Installation takes just a few minutes.



Soft Light. Bold Impact.

Our architectural wall cylinders bring distinct character to any space. The circular shape offers a soft, modern silhouette that blends effortlessly into clean interiors. The square form introduces clean lines and visual balance. The hourglass introduces a sculptural elegance, perfect for spaces that embrace bold, artistic expression. Each profile enhances architectural aesthetics in its own way, offering designers versatile tools to elevate interior and exterior environments.





US Office
8735 Dunwoody Place #6728
Atlanta, GA
30350 United States



CA Office
9133 Leslie St. #120
Richmond Hill, ON
L4B 4N1 Canada

info@renolighting.com | www.renolighting.com