RENO®
LIGHTING



Vangard

Round Guard LED Bulkhead Lights

One fixture.
Your kind of light.

Set the wattage. Choose the colour.
Let the built-in photocell handle dusk to dawn.

Voltage: 120-347V

Efficacy: Up to 110.7 lm/W

Lumens: Up to 1632.7 lm

Selectable Wattage: 9 | 12 | 15W (15W Default)

Selectable CCT: 30/40/50K (5000K Default)

130° Beam Angle

L70 ~ 100,000 Hrs

80 CRI

Built for life outside.

Guarded glass. Die-cast aluminum.
Dependable light for porches, patios and docks

IP65 | Built-In Photocell

Dust-tight and resistant to water jets, built for dependable performance in outdoor conditions.

Made to Endure

An L70 lifespan of approximately 100,000 hours, backed by a 10-year limited warranty for long-term peace of mind.

The Right Light.
For Every Space
You Call Yours.

Choose white or bronze to complement your space, and set the mood with three selectable colour temperatures; From warm 3000K to crisp 5000K.

3000K	4000K	5000K

Cabin, Basement, Storeroom, Attic and Industrial Spaces

Porch, Patio, Deck, Boathouse, Dock

RENO®
LIGHTING

Offices

CA
#120- 9133 Leslie St. Richmond Hill, ON L4B 4N1 Canada

US
#6728 - 735 Dunwoody Place Atlanta, GA
30350 United States

Contact

Tel: 905-604-4666

sales@renolighting.com

www.renolighting.com