


Date: \_\_\_\_\_ Project: \_\_\_\_\_

Type: \_\_\_\_\_ Part #: \_\_\_\_\_



## Rail Series

### Architectural Rounded Strip

Illuminate spaces with the RAIL SERIES Architectural Rounded Linear Strip System. Its configurable design allows precise angular bends, adapting seamlessly to both organic and geometric forms.



## Product Features

- Aluminum Housing with Powder-Coated Finish
- Modern White or Matte Black finish
- Frosted Polycarbonate Lens creates a even light distribution
- Surface Mount clips and screws included
- Suspension and Wall Mounting kits sold separately
- 1.5kVA Surge Protection
- Class II driver, with 0-10V
- Higher efficacy, up to 146 lm/W
- IP20 Damp Location Rated
- Operating Temperature: -4°F to +104°F (-20°C to +40°C)
- Rated lifetime L70: >100,000 hours
- 10 Year Limited Warranty

## Specifications


<b>Voltage</b>	120-347V AC
<b>Selectable Wattages</b>	20/30/40W
<b>Length</b>	4FT
<b>Power Factor</b>	>0.9
<b>Selectable CCT</b>	30/35/40/5000K
<b>CRI</b>	>80
<b>Lumens</b>	Up to 5,483 lm
<b>Beam Angle</b>	120°
<b>Dimming</b>	0-10V
<b>Mounting</b>	Surface (Included), Suspension, Wall

## Specifications - Rail Series


	R33411 RENO-RALS4-DV-MW-MCCT-WH – White			R33412 RENO-RALS4-DV-MW-MCCT-BK – Black		
	20W	30W	40W	20W	30W	40W
<b>3000K</b>	2,780 lm	4,125 lm	5,148 lm	2,780 lm	4,125 lm	5,148 lm
	139 lm/W	138 lm/W	129 lm/W	139 lm/W	138 lm/W	129 lm/W
<b>3500K</b>	2,821 lm	4,241 lm	5,225 lm	2,821 lm	4,241 lm	5,225 lm
	141 lm/W	141 lm/W	131 lm/W	141 lm/W	141 lm/W	131 lm/W
<b>4000K</b>	2,865 lm	4,189 lm	5,322 lm	2,865 lm	4,189 lm	5,322 lm
	143 lm/W	140 lm/W	133 lm/W	143 lm/W	140 lm/W	133 lm/W
<b>5000K</b>	2,924 lm	4,389 lm	5,483 lm	2,924 lm	4,389 lm	5,483 lm
	146 lm/W	146 lm/W	137 lm/W	146 lm/W	146 lm/W	137 lm/W

## Photometrics


### LUMINOUS INTENSITY DISTRIBUTION (20W 4K) Polar Candela



### LUMINOUS INTENSITY DISTRIBUTION (30W 4K) Polar Candela




**LUMINOUS INTENSITY DISTRIBUTION (40W 4K) Polar Candela**




## Dimensions

Rail 4FT



Model	Length	Width	Height	Weight
<b>R33411</b>	47.2   1198 mm	3.39"   86 mm	3.25"   82.5 mm	6.6 lbs (3 kg)

## Mounting Options



**Surface Mounting**




**Wall Mounting**



**Suspension Mounting**

## Accessories

### Upper Luminous Module



#### 4ft Upper Luminous Module

R39531

RENO-RALS4-UP

Order #	Model #	Description
<b>R39531</b>	RENO-RALS4-UP	4ft Upper Luminous Module


## Accessories – Mounting



#### Suspension Kit (white)

R39532


RENO-RALS-CANOPY-WH



#### Suspension Kit (black)

R39533


RENO-RALS-CANOPY-BK



#### Wall Mount Kit (white)

R39534

RENO-RALS-WMB-WH



#### Wall Mount Kit (black)

R39535

RENO-RALS-WMB-BK

Order #	Model #	Description
<b>R39532</b>	RENO-RALS-CANOPY-WH	10ft Suspension Kit   White Finish
<b>R39533</b>	RENO-RALS-CANOPY-BK	10ft Suspension Kit   Black Finish
<b>R39534</b>	RENO-RALS-WMB-WH	Wall Mounting Kit   White Finish
<b>R39535</b>	RENO-RALS-WMB-BK	Wall Mounting Kit   Black Finish