

| Date: | Project Name: |
|-------|---------------|
| Туре: | Part Number: |





PRIME

OPS SERIES LED WALL PACK

DESCRIPTION

The RENO OPS series LED Wall Pack uses industry-leading LED chips and drivers to deliver a quality, energy saving lighting solution. It is also designed for an easy install, directly fitting onto existing electrical boxes, making it the contractor's choice when replacing older high pressure sodium and metal halide wall packs.

FEATURES

- Powder coated black
- Aluminum Alloy & Glass Lens
- 30% Slimmer Design
- Even Light Dispersion and Reduced Glare
- Available Flushmount DC Sensor
- Wide Voltage 120-347V
- Multi CCT & Wattage
- Easy Installation & Maintenance
- Rated Lifetime L70(hrs): >70,000
- Custom colours available
- 5 year warranty





Commercial Building

Exterior Parking



School and Hospital





| Date: | Project Name: |
|-------|---------------|
| Туре: | Part Number: |

SPECIFICATION

| ORDER# | MODEL# | WATTS | LUMENS | VOLTAGE (V) | HOURS RATING | BEAM ANGLE | CCT(K) |
|--------|------------------|------------|----------------------------|----------------|-----------------|---------------|-----------|
| R51024 | RENO-WP-MW-DV-R1 | 30/40/50W | 4,050/5,400/ 6,750 lm | 120-347V | 70,000 | 110° | 30/40/50K |
| R51025 | RENO-WP-MW-DV-R2 | 45/60/75W | 6.075/8,100/ 10,125 lm | 120-347V | 70,000 | 110° | 30/40/50K |
| R51026 | RENO-WP-MW-DV-R3 | 72/96/120W | 9,720/12,960/ 16,200 lm | 120-347V | 70,000 | 110° | 30/40/50K |

SENSOR OPTIONS

| ORDER# | MODEL# | DESCRIPTION |
|--------|------------|---------------------|
| R59101 | RENO-WP-PS | DC Button Photocell |



RENO-WP-PS

ACCESSORIES

| ORDER# | MODEL# | DESCRIPTION |
|--------|---------------------------|---------------------------------|
| R59009 | RENO-WP-SP | 10KA Surge Protector |
| R59007 | RENO-WALL-PACK-WIRE-GUARD | Wall Pack Wire Guard (R1&R2&R3) |
| R59008 | RENO-WP-SHIELD | Wall Pack Shield |







RENO-WP-SHIELD

RENO-WP-SP

WALL PACK WIRE GUARD (R1&R2&R3)



| Date: | Project Name: |
|-------|---------------|
| Туре: | Part Number: |

DIMENSIONS



223.5mm (8.8")



355.6mm (14")