



# Evoked

Round Architectural Luminaire



Pendant  
with Stem

Pendant  
with Cable



Surface  
Mount

# Evoke

## Pure Form. Balanced Light.

Defined by its smooth, circular profile and seamless silhouette, Evoke brings a refined presence to open spaces. Its soft geometry adds balance and visual clarity overhead, shaping the experience without overwhelming it.

Designed to integrate effortlessly into contemporary environments, Evoke delivers intentional illumination—creating a calm, cohesive atmosphere through light and form.

Construction  
Extruded Aluminum Housing  
Frosted Polycarbonate lens

Voltage  
120-347V AC

UGR  
18.7

Wattages  
18: 30/40/50/60W  
24: 140/60/80/100W  
36: 60/100/140/175W

Beam Angle  
120°

Dimming  
0-10V

Selectable CCT  
2700K, 3000K,  
3500K, 4000K,  
5000K

Life Hours  
L70 > 50,000 hrs

Surge Protection  
10kV

IRC  
90

Mounting  
Pendant Cable  
Pendant Stem  
Surface

Up to  
22,942 lm | 3,096 lm Indirect)

Up to  
125 lm/W

Dimensions  
Ø18", 24", 36"  
Height: 3.15"





Ø18"

Ø24"

Ø36"



White  
Standard

Black  
Standard

Sample Custom  
Finishes

# Three Sizes One Seamless Form

Designed to adapt across a range of spaces

# Finishes for Every Space

Standard white and black, custom finishes available



Direct  
Distribution

Direct / Indirect  
(80% / 20%)  
Distribution

# Shaping Light Defining Space

Direct and direct/indirect options, designed to shape the space



# Prismatic Lens

Textured diffusion. Softer light.



# UGR 18.7

Reduced glare. Enhanced comfort



Evoke pendant with stem with custom green finish



Evoke surface mount



2700K

3000K

3500K

4000K

5000K

# Light, Tuned to the Environment

Selectable color temperature from warm to cool, shaping how a space is experienced



Evoke pendant



Evoke pendant



Evoke pendant with blue and red custom finishes



Evoke pendant with stem/pole



**CA Office**

#120- 9133 Leslie St., Richmond Hill, ON  
L4B 4N1 Canada

**US Office**

#6728 - 735 Dunwoody Place, Atlanta, GA  
30350 United States

[info@renolighting.com](mailto:info@renolighting.com)

[www.renolighting.com](http://www.renolighting.com) | [arkbyreno.com](http://arkbyreno.com)